



Model:
Model S

Vehicle System:
00 - Inspection & Service

Region:
All

Model S Annual Service Inspection

(Maintenance Plan purchased on or after February 2, 2017 and vehicles without a Maintenance Plan)

VIN: _____ Date: _____
Mileage: _____ Technician: _____

This form is intended for customers who purchased a Maintenance Plan on or after February 2, 2017, and customers without a Maintenance Plan. For customers who purchased a Maintenance Plan before February 2, 2017, refer to SC-15-00-001.

Perform the appropriate inspection every 12 months or 12,500 mi (20,000 km), whichever comes first, based on the vehicle's service history. The specified annual inspection repeats after Service 4. For example, perform "Year 1" operations in year 5 and "Year 2" operations in year 6.

Fill out the column for the annual inspection being performed. Blacked-out cells are not required for that inspection. Refer to Service Manual procedure 00019905 for additional information.

Actions: C (clean); F (functional check); L (lubricate); P (perform); R (replace); T (torque check); V (visual inspection)

Component	Action	Year 1 12,500 mi 20,000 km	Year 2 25,000 mi 40,000 km	Year 3 37,500 mi 60,000 km	Year 4 50,000 mi 80,000 km
Key battery (set)	R	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
RKE/passive entry	F	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Doors, hood, and liftgate	V, F	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Horn, interior/exterior lighting	V, F	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Windshield washer jets	F	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Seat belts	V, F	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Charge port	V, F	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Check for Diagnostic Trouble Codes and active/historical alerts (repair any issues found and clear DTCs)	P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Load latest firmware version (if available)	P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Panoramic roof, if equipped	F, C, L	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Windshield wiper blades	R	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Cabin air filter	R		<input type="checkbox"/>		<input type="checkbox"/>
Top off windshield washer fluid	P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Coolant level	V	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Brake fluid level	V	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Coolant	R				<input type="checkbox"/>
Steering gear bolts	T				<input type="checkbox"/>
Secondary hood release latch	C, L	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
A/C desiccant bag	R		<input type="checkbox"/>		<input type="checkbox"/>
Radiator/condenser (clear debris if necessary)	V, C	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Brake fluid	R		<input type="checkbox"/>		<input type="checkbox"/>

Set tire pressure, FL	P				
Set tire pressure, FR	P				
Set tire pressure, RR	P				
Set tire pressure, RL	P				
Record tread depth, FL (recommend replacement if 4/32 in. / 3 mm or less)	P	Outer Center Inner	Outer Center Inner	Outer Center Inner	Outer Center Inner
Record tread depth, FR (recommend replacement if 4/32 in. / 3 mm or less)	P	Outer Center Inner	Outer Center Inner	Outer Center Inner	Outer Center Inner
Record tread depth, RR (recommend replacement if 4/32 in. / 3 mm or less)	P	Outer Center Inner	Outer Center Inner	Outer Center Inner	Outer Center Inner
Record tread depth, RL (recommend replacement if 4/32 in. / 3 mm or less)	P	Outer Center Inner	Outer Center Inner	Outer Center Inner	Outer Center Inner
Record brake pad thickness, FL (recommend replacement if 2 mm or less)	P				
Record brake pad thickness, FR (recommend replacement if 2 mm or less)	P				
Record brake pad thickness, RR (recommend replacement if 2 mm or less)	P				
Record brake pad thickness, RL (recommend replacement if 2 mm or less)	P				
Record thickness of electric park brake pads	P				
Brake pipes and hoses	V	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Transmission fluid (rear drive unit and front drive unit, if equipped)	R	<input type="checkbox"/>			
Suspension	V	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Battery enclosure	V	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Coolant leaks	V	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Subframe components, drive unit(s) (check for fluid leaks, abnormal wear)	V	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tire rotation or wheel swap, if needed (Recommended every 6250 mi / 10000 km)	P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Thermal system test	P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Suspension fasteners	T	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Wheel alignment check and adjustment, if needed	P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Test drive	P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Navigation map update (if available)	P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

The following additional services are not included in the price of annual service inspection:

- Cleaning and lubricating brake caliper pad slides and parking brake calipers: Recommended every 12 months or 12,500 mi (20,000 km) for vehicles in cold weather regions. Use the correction code:
33013005 Brake Caliper Pad Slides and Parking Brake Calipers – Cleaning and Lubrication (With Wheels Removed)
- HEPA filter replacement: Recommended every 3 years or 37,500 mi (60,000 km) in all areas excluding China. In China, recommended replacement is every year or 12,500 mi (20,000 km). Use the correction code:
 - 18105502 Filter – HEPA
- Tire rotation between annual service inspections.
- Tire replacement
- Brake pad replacement

SERVICE NOTES:

